

Table 1. Diseases of poultry that can be vectored by darkling beetles

Disease	Disease-causing microorganisms	Reference
Blackhead disease (histomoniasis)	<i>Heterakis gallinarum</i> (cecral worm) <i>Histomonas meleagrididis</i> (histomonad protozoan)	Beckmann, J. F., T. Dormitorio, S. O. Oladipupo, M. T. B. Terra, K. Lawrence, K. S. Macklin, and R. Hauck. 2021. <i>Heterakis gallinarum</i> and <i>Histomonas meleagrididis</i> DNA persists in chicken houses years after depopulation. <i>Veterinary Parasitology</i> 298: 109536.
Escherichia coli infection	<i>Escherichia coli</i>	McAllister, J. C., C. D. Steelman, J. K. skeeles, L. A. Newberry, and E. E. Gbur. 1996. Reservoir competence of <i>Alphitobius diaperinus</i> (Coleoptera: Tenebrionidae) for <i>Escherichia coli</i> (Eubacteriales: Enterobacteriaceae). <i>Journal of Medical Entomology</i> 33:983–987.
Salmonella infection	<i>Salmonella enterica</i>	A. J. Roche, A. J., N. A. Cox, L. J. Richardson, R. J. Buhr, J. A. Cason, B. D. Fairchild, and N. C. Hinkle. 2009. Transmission of <i>Salmonella</i> to broilers by contaminated larval and adult lesser mealworms, <i>Alphitobius diaperinus</i> (Coleoptera: Tenebrionidae). <i>Poultry Science</i> 88:44–48
Enteritis	Turkey enterovirus and rotavirus	Despins, J. L., R. C. Axtell, D. V. Rives, J. S. Guy, and M. D. Ficken. 1994. Transmission of enteric pathogens of turkeys by darkling beetle larva (<i>Alphitobius diaperinus</i>). <i>Journal of Applied Poultry Research</i> 3:61–65.

Table 2. Empty-barn residual insecticides for darkling beetle control in poultry

Mfr	Brand name	Item #	Unit	Active ingredient	Formulation	Rate
BASF	Alpine® WSG Water Soluble Granule Insecticide	063236	500 gram	dinotefuran (40.0%)	spray (water soluble granules)	10 to 30 grams per 1 gal. water per 1,000 ft ²
	Optashield® CS	051787	120 oz.	cyfluthrin (6.0%)	spray (water-based; micro-encapsulated)	2.00 fl. oz. per 1 gal. water per 1,000 ft ²
	Permacap CS®	051794	120 oz.	permethrin (23.0%)	spray (water-based; micro-encapsulated)	2.67 to 5.30 fl. oz. per 1 gal. water per 1,000 ft ²
Blue Ridge Elements	AquaSource Boric Acid	111004	55 lb.	boric acid (100%)	dry granules	2.0 lb. per 100 ft ²
		093688	2200 lb.			
Control Solutions	Bifen I/T	057379 055175	gallon quart	bifenthrin (7.9%)	spray (water-based)	0.33 to 1.00 fl. oz. per gal. water per 1,000 ft ²
	Cyzmic® CS	050610	quart	lambda-cyhalothrin (9.7%)	spray (water-based; micro-encapsulated)	0.80 fl. oz. per 1 gal. water per 1,000 ft ²
	Dominion® 4L	114608 099871	gallon pallet	imidacloprid (42.3%)	spray (water-based)	3.0 fl. oz. per gal. water per 1,000 ft ²
	Martin's® Permethrin SFR	040383	1.25 gal.	permethrin (36.8%)	spray (water-based)	0.32 fl. oz. per gal. water per 1,000 ft ²
	Permethrin CS	054140	120 oz.	permethrin (23.6%)	spray (water-based; micro-encapsulated)	2.67 to 5.30 fl. oz. per 1 gal. water per 1,000 ft ²
	Tekko® 10	056686	gallon	novaluron (9.3%)	spray (water-based)	1.5 to 3.0 fl. oz. per gal. water per 1,000 ft ²
	Vector-Ban™ Plus	050619	0.5 gal.	permethrin (10.0%) + PBO (10.0%)	spray (water-based)	6.4 fl. oz. per gal. water per 1,000 ft ²
Elanco	Agita™ 10 WG	062584	2.2 lb.	thiamethoxam (10%)	spray (water-dispersible granules)	17 oz. per gal. water
	Credo® SC	040748	30 oz.	imidacloprid (42.3%)	spray (water-based)	3.0 fl. oz. per gal. water per 1,000 ft ²
	CyLence Ultra™ Premise Spray	030934	240 ml.	beta-cyfluthrin (11.8%)	spray (water-based)	0.54 fl. oz. per 1 gal. water per 1,000 ft ²
	Elector® PSP	045949	8 oz.	spinosad (44.2%)	spray (water-based)	0.2 to 0.4 fl. oz. per gal. water per 1,000 ft ²
	Ravap EC*	013949	gallon	tetrachlorvinphos (23.0%) + dichlorvos (5.3%)	spray (water-based)	5 to 10 fl. oz. per gal. water per 1,000 ft ²
	Tempo 1% Dust Insecticide	044742	10 lb.	cyfluthrin (1%)	dust	0.5 to 1.0 lb. per 1,000 ft ²

Table 2. Empty-barn residual insecticides for darkling beetle control in poultry (continued)

Mfr	Brand name	Item #	Unit	Active ingredient	Formulation	Rate
Incide Technologies	Zone Defense®	116143	50 lb.	boric acid (64.0%)	water-soluble powder	2 lbs. per 100 ft ²
Merck	Grenade® ER Insecticide	013190	8 oz.	lambda-cyhalothrin (9.7%)	spray (water-based; micro-encapsulated)	0.80 fl. oz. per 1 gal. water per 1,000 ft ²
	NyGuard® IGR Concentrate	061004 093669	140 ml. 480 ml.	pyriproxyfen (10%)	spray (water-based)	2.67 to 8.00 fl. oz. per gal. water per 1,000 ft ²
MGK	Onslaught® FastCap Spider and Scorpion Insecticide	061570 063695 486918	pint CS2 30 gal.	esfenvalerate (6.4 %) + prallethrin (1.6%) + PBO (8.0%)	spray (water-based; micro-encapsulated)	1.0 fl. oz. per 1 gal. water per 1,000 ft ²
	Sector® Misting Concentrate	091755	gallon	permethrin (10.0%) + PBO (10.0%)	spray (water-based)	6.4 fl. oz. per gal. water per 1,000 ft ²
	Tobex™ Multi MoA Concentrate	090118 090114	2.5 gal. 30 gal.	lambda-cyhalothrin (4.00%) + prallethrin (0.40%) + pyriproxyfen (1.30%) + PBO (6.00%)	spray (water-based; micro-encapsulated)	1.00 fl. oz. per 1 gal. water per 1,000 ft ²
Neogen	Prozap Gamma-Defense™	117427	quart	gamma-cyhalothrin (5.9%)	spray (water-based microencapsulated)	0.65 fl. oz. per gal. water per 1,000 ft ²
Starbar	Exhalt™ WDG Insect Growth Regulator	116418	5 lb.	novaluron (4.0%)	water-soluble granules	16 oz. dry granules per 1,000 ft ² , or 4 to 8 oz. per gal. water per 1,000 ft ²

Prior to using any product mentioned in this article, carefully read and follow all available instructions, warnings, and safety information made available by the product's manufacturer. *Restricted use insecticide.

28 Integrated pest management

Table 3. On-animal insecticides for use against darkling beetle control in poultry with live birds present

Mfr	Brand name	Item #	Unit	Active ingredient	Rate
Control Solutions	Stryker™ Insecticide Concentrate	052465	pint	natural pyrethrins (6.0%) + PBO (60.0%)	2.0 fl. oz. per 1 gal. water
MGK	EverGreen® Pro 60-6	063831	quart	natural pyrethrins (6.0%) + PBO (60.0%)	2.0 fl. oz. per 1 gal. water
		062001	gallon		
	EverGreen® Pyrethrum Concentrate	059359	gallon	natural pyrethrins (5.0%; organic)	3.0 fl. oz. per 1 gal. water
	Riptide® Waterbased Pyrethrin ULV	052706	64 oz.	natural pyrethrins (5.0%) + PBO (25%)	Dilution: 1 part concentrate to 49 parts water
Starbar	ULD® BP-100	051790	quart	natural pyrethrins (1.0%) + PBO (5.0%)	Use undiluted
		051792	55 gal.		
	Pyronyl™ Crop Spray	059286	quart	natural pyrethrins (6.0%) + PBO (60.0%)	2.0 fl. oz. per 1 gal. water
Y-Tex	UL-100 EC Insecticidal Spray	480198	55 gal.	natural pyrethrins (0.96%) + PBO (9.60%)	Dilute 1 part concentrate and 9 parts water
	ZetaGard® LBT	054324	pail	zetacypermethrin (0.375%)	25 to 50 lb. per 20,000 ft ²
		064717	25 lb.		

Prior to using any product mentioned in this article, carefully read and follow all available instructions, warnings, and safety information made available by the product's manufacturer.