Rodenticide comparison chart

Active	Product	Mfr	% of active	Mode of action	# of feedings	Kill time
Bromethalin	Rampage® Chunx	Motomco Neogen	_ 0.01%	ATP inhibitor disrupts energy cycle, non-anti-coagulant	Single feed	
	Rampage® Meal					12-24 hours
	Rampage® Soft Bait					
	CyKill™					
	Gunslinger®	Lipha-Tech				
	Cannon™ Soft Bait					
Brodifacoum	Jaguar® Chunx	Motomco	0.005%	2nd generation anti-coagulant	Single feed	4-6 days
	Jaguar® Soft Bait		0.0025%			
	Havoc® (XT)	Neogen	0.005%			
	Havoc® Meal Bait					
	Havoc® Attack					
Bromadiolone	Hawk® Chunx	Motomco	- 0.005%	2nd generation anti-coagulant	Single feed	4-6 days
	Hawk® Meal Bait					
	Hawk® Soft Bait					
	Decimax™ Soft Bait	Neogen	0.003%			
	Boothill®	- Lipha-Tech				
	Revolver® Soft Bait	прпа-тест				
Chlorophacinone	DoubleTap™ Soft Bait	Lipha-Tech	0.005%	Anti-coagulant	Mutiple feed	10-15 days
Cholecalciferol (vitamin D ₃)	Agrid® ₃	Motomco	0.075%	Hypercalcemia	Mutiple feed	4-6 days
	Selontra®	BASF				
Difethialone	Hombre®	Lipha-Tech	0.0025%	2nd generation anti-coagulant	Single feed	4-6 days
	Renegade® Meal Bait					
	Fast Draw® Soft Bait					
Diphacinone	Tomcat® Chunx	- Motomco	0.005%	2nd generation anti-coagulant	Mutiple feed	6-8 days
	Tomcat® Liquid		0.106%			
	Ramik®	Neogen	0.005%	ı ,		•
Zinc phosphide Diphacinone	Eraze™ Ag	- Motomco	2.0%	Non-anti-coagulant acute	Single feed	2 hours
	ZP® Tracking Powder		10.0%			
	Prozap® ZP Tracking Powder	Neogen				

Prior to using any product mentioned in this article, carefully read and follow all available instructions, warnings, and safety information made available by the product's manufacturer.